

## Contents

### Volume 50, Number 1, January 1999

#### Review

- 1 Cardiovascular disease and risk factors in adults with hypopituitarism: S.A. BESHYAH AND D.G. JOHNSTON

#### Commentary

- 17 Y-chromosome mosaicism in girls with Turner's syndrome: C. CHU (see page 19)

#### Original papers

- 19 Y-chromosome identification by PCR and gonadal histopathology in Turner's syndrome without overt Y-mosaicism: J.R.T. MENDES, M.W.L. STRUFALDI, R. DELCELO, R.C.M.S. MOISÉS, J.G. VIEIRA, T.S. KASAMATSU, M.F. GALERA, J.A.D. ANDRADE AND I.T.N. VERRESCHI (see commentary page 17)
- 27 Recent primary transnasal surgical outcomes associated with intraoperative growth hormone measurement in acromegaly: T. ABE AND D.K. LÜDECKE
- 37 The effects of interleukin-2 treatment on endothelin and the activation of the hypothalamic–pituitary–adrenal axis: C. RAAB, E. WEIDMANN, A. SCHMIDT, L. BERGMANN, K. BADENHOOP, K.H. USADEL AND T. HAAK
- 45 A low individualized GH dose in young patients with childhood onset GH deficiency normalized serum IGF-I without significant deterioration in glucose tolerance: B. BÜLOW AND E.M. ERFURTH
- 57 Experience with transdermal testosterone replacement therapy for hypogonadal men: S. PARKER AND M. ARMITAGE
- 63 An *in vivo* study of the cortisol-cortisone shuttle in subcutaneous abdominal adipose tissue: J.R. KATZ, V. MOHAMED-ALI, P.J. WOOD, J.S. YUDKIN AND S.W. COPPACK
- 69 Novel DAX1 mutations in X-linked adrenal hypoplasia congenita and hypogonadotrophic hypogonadism: J.H.D. BASSETT, D.J. O'HALLORAN, G.R. WILLIAMS, C.G. BEARDWELL, S.M. SHALET AND R.V. THAKKER
- 77 The effect of chronic hexarelin administration on the pituitary–adrenal axis and prolactin: A. RAHIM, P.A. O'NEILL AND S.M. SHALET
- 85 High precursor level in maternal blood results from the alternate mode of proopiomelanocortin processing in human placenta: M.L. RAFFIN-SANSON,

J.F. MASSIAS, A. ANKOTCHE, J. COSTE, Y. DE KEYZER, C. OLIVER, C. DUMONT, D. CABROL, F. FERRÉ AND X. BERTAGNA

- 95 Recombinant interferon  $\alpha$  (rIFN- $\alpha$ ) does not potentiate the effect of iodine excess on the development of thyroid abnormalities in patients with HCV chronic active hepatitis: R. MINELLI, L.E. BRAVERMAN, M.A. VALLI, C. SCHIANCHI, M. PEDRAZZONI, F. FIACCADORI, M. SALVI, M.G. MAGOTTI AND E. ROTI
- 101 Serum vascular endothelial growth factor (VEGF) in the normal menstrual cycle: association with changes in ovarian and uterine Doppler blood flow: R. AGRAWAL, G.S. CONWAY, P. SLADKEVICIUS, N.N. PAYNE, J. BEKIR, S. CAMPBELL, S.L. TAN AND H.S. JACOBS
- 107 Urocortin expression in the human central nervous system: K. IINO, H. SASANO, Y. OKI, N. ANDOH, R.W. SHIN, T. KITAMOTO, K. TAKAHASHI, H. SUZUKI, F. TEUKA, T. YOSHIMI AND H. NAGURA
- 115 Addison's disease in Africa - a teaching hospital experience: S. SOULE
- 121 Laparoscopic adrenalectomy for pheochromocytoma: endocrinological and surgical aspects of a new therapeutic approach: V. COL, L. DE CANNIÈRE, E. COLLARD, L. MICHEL AND J. DONCKIER
- 127 Antithyroid drugs and Graves' disease - prospective randomized assessment of long-term treatment: D. MAUGENDRE, A. GATEL, L. CAMPION, C. MASSART, I. GUILHEM, Y. LORCY, J. LESCOUARCH, J.Y. HERRY AND H. ALLANNIC

#### Case report

- 133 Rosai-Dorfman disease presenting as a pituitary tumour: W.F. KELLY, N. BRADEY AND D. SCOONES

#### Book reviews

#### Author's Declaration

### Volume 50, Number 2, February 1999

#### Review

- 141 Investigation protocol: adrenal enlargement: F. MANTERO AND G. ARNALDI

# Commentary

- 147 Thyroid hormones and neurodevelopment: J.H. LAZARUS (see page 149)

# Original papers

- 149 Low maternal free thyroxine concentrations during early pregnancy are associated with impaired psychomotor development in infancy: V.J. POP, J.L. KUIJPENS, A.L. VAN BAAR, G. VERKERK, M.M. VAN SON, J.J. DE VILDER, T. VULSMA, W.M. WIERSINGA, H.A. DREXHAGE AND H.L. VADER (see commentary page 147)
- 157 An atypical contiguous gene syndrome: MOLECULAR STUDIES IN A FAMILY WITH X-LINKED KALLMANN'S SYNDROME AND X-LINKED ICHTHYOSIS and G. MAYA-NUÑEZ, L. TORRES, A. ULLOA-AGUIRRE, J.C. ZENTENO, S. CUEVAS-COVARRUBIAS, D. SAAVEDRA-ONTIVEROS, S. KOFMAN-ALFARO AND J.P. MÉNDEZ
- 163 Hyperleptinaemia in young adults following cranial irradiation in childhood: GROWTH HORMONE DEFICIENCY OR LEPTIN INSENSITIVITY? and B.M.D. BRENNAN, A. RAHIM, W.F. BLUM, J.A. ADAMS, O.B. EDEN AND S.M. SHALET
- 171 Bone turnover and cortical bone mineral density in the distal radius in patients with hyperthyroidism being treated with anti-thyroid drugs for various periods of time: M. OIKAWA, K. KUSHIDA, M. TAKAHASHI, T. OHISHI, H. HOSHINO, M. SUZUKI, H. OGIHARA, J. ISHIGAKI AND T. INOUE
- 177 Cord blood leptin concentrations in relation to intrauterine growth: A. VARVARIGOU, C.S. MANTZOROS AND N.G. BERATIS
- 185 Comparison of serum thyrotrophin concentrations determined by a third generation assay in patients with various types of overt and subclinical thyrotoxicosis: K. KASAGI, T. KOUSAKA, T. MISAKI, M. IWATA, M.S. ALAM AND J. KONISHI
- 191 Genetic studies of a family with hereditary hyperparathyroidism-jaw tumour syndrome: W.S. WASSIF, F. FARNEBO, B.T. TEH, C.F. MONIZ, F.Y. LI, J.D. HARRISON, T.J. PETERS, C. LARSSON AND P. HARRIS
- 197 Long-term effect of radioactive iodine on thyroid function and size in patients with solitary autonomously functioning toxic thyroid nodules: B. NYGAARD, L. HEGEDUS, K.G. NIELSEN, P. ULRIKSEN AND J.M. HANSEN
- 203 Serum prostate specific antigen, sex hormone binding globulin and free androgen index as markers of pubertal development in boys: M.R. KIM, M.K. GUPTA, S.H. TRAVERS, D.G. ROGERS, F. VAN LENTE AND C. FAIMAN
- 211 Serum leptin levels in women throughout pregnancy and the postpartum period and in women suffering spontaneous abortion: M. LAGE, R.C. GARCIA-MAYOR, M.A. TOMÉ, F. CORDIDO, F. VALLE-INCLAN, R.V. CONSIDINE, J.F. CARO, C. DIEGUEZ AND F.F. CASANUEVA
- 217 The prevalence of subclinical hypothyroidism at different total plasma cholesterol levels in middle aged men and women: A NEED FOR CASE-FINDING? and A.J.G.H. BINDELS, R.G.J. WESTENDORP, M. FRÖLICH, J.C. SEIDELL, A. BLOKSTRA AND A.H.M. SMELT
- 221 Insulin-like growth factor binding protein-1 in NIDDM: RELATIONSHIP WITH THE INSULIN RESISTANCE SYNDROME and V. MOHAMED-ALI, J.H. PINKNEY, A. PANAHLOO, S. CWFYAN-HUGHES, J.M.P. HOLLY AND J.S. YUDKIN
- 227 Functional hypothalamic amenorrhoea: A PARTIAL AND REVERSIBLE GONADOTROPHIN DEFICIENCY OF NUTRITIONAL ORIGIN and B. COUZINET, J. YOUNG, S. BRAILLY, Y. LE BOUC, P. CHANSON AND G. SCHAISON
- 235 Bone mineral density and markers of bone turnover in young adult survivors of childhood lymphoblastic leukaemia: J.J.G. HOORWEG-NIJMAN, G. KARDOS, J.C. ROOS, H.J. VAN DIJK, C. NETELENBOS, C. POPP-SNIJDERS, C.M. DE RIDDER AND H.A. DELEMARRE-VAN DE WAAL
- 243 Comparison of monthly intramuscular injections of Sandostatin LAR with multiple subcutaneous injections of octreotide in the treatment of acromegaly; effects on growth hormone and other markers of growth hormone secretion: S.J. HUNTER, J.A.M. SHAW, K.O. LEE, P.J. WOOD, A.B. ATKINSON AND J.S. BEVAN
- 251 Plasma oestrone-fatty acid ester levels are correlated with body fat mass in humans: J.M. FERNÁNDEZ-REAL, D. SANCHIS, W. RICART, R. CASAMITJANA, F. BALADA, X. REMESAR AND M. ALEMANY
- 259 A comparison of the naxloxone test with the insulin stress test in patients following transsphenoidal surgery: A.S. MCALLISTER, D.R. MCCANCE, D.R. HADDEN, P.M. BELL, H. LESLIE, B. SHERIDAN AND A.B. ATKINSON

# Case report

- 267 Apparent cure of Graves-Basedow disease after sibling allogeneic bone marrow transplantation: S. Díez, H. BANIAS, J.L. Díez-MARTÍN, M. BRIZ, J. ESTRADA AND B. BARCELÓ

# Letters to the Editors

# Book reviews

# Author's Declaration

## Volume 50, Number 3, March 1999

## Review

- 275 Congenital growth hormone insensitivity syndromes and their relevance to idiopathic short stature: P.E. CLAYTON, J.S. FREETH AND M.R. NORMAN
- 285 **Investigation protocol:** ACROMEGALY AND ITS INVESTIGATION AND E. DUNCAN AND J.A.H. WASS

## Original papers

- 295 Clinical and biochemical response following withdrawal of a long-acting, depot injection form of octreotide (Sandostatin-LAR®): P.M. STEWART, S.E. STEWART, P.M.S. CLARK AND M.C. SHEPPARD
- 301 Peak and trough growth hormone (GH) concentrations influence growth and serum insulin like growth factor-1 (IGF-1) concentrations in short children: J.C. ACHERMANN, C.G.D. BROOK, L.C.A.F. ROBINSON, D.R. MATTHEWS AND P.C. HINDMARSH
- 309 Multiple endocrine neoplasia type 1 (MEN1): CLINICAL HETEROGENEITY IN A LARGE FAMILY WITH A NONSENSE MUTATION IN THE MEN1 GENE (TRP471STOP) AND N. VALDÉS, G. PÉREZ DE NANCARLES, V. ALVAREZ, L. CASTAÑO, F. DÍAZ-CADÓRNIGA, J. ALLER AND E. COTO
- 315 Life expectancy following surgery for pituitary tumours: A.S. BATES, B. BULLIVANT, M.C. SHEPPARD AND P.M. STEWART
- 321 Left ventricular hypertrophy in primary hyperparathyroidism. Effects of successful parathyroidectomy: A. PIOVESAN, N. MOLINERI, F. CASASSO, I. EMMOLO, G. UGLIENGO, F. CESARIO AND G. BORRETTA
- 329 Dose response with fluticasone propionate on adrenocortical activity and recovery of basal and stimulated responses after stopping treatment: A.M. WILSON, E.J. SIMS AND B.J. LIPWORTH
- 337 Rapid leptin decrease in immediate post-exercise recovery: M. DUCLOS, J.B. CORCUFF, A. RUFFIE, P. ROGER AND G. MANIER
- 343 No overrepresentation of congenital adrenal hyperplasia in patients with adrenocortical tumours: M. KJELLMAN, M. HOLST, M. BÄCKDAHL, C. LARSSON, L.O. FARNEBO AND A. WEDELL
- 347 High prevalence of osteoporosis in cardiac transplant recipients and discordance between biochemical turnover markers and bone histomorphometry: P. GLENDENNING, G.N. KENT, B.D. ADLER, L. MATZ, I. WATSON, G.J. O'DRISCOLL AND D.M. HURLEY

- 357 Diagnosis and treatment of the solitary thyroid nodule. Results of a European survey: F.N. BENNEDBÆK, H. PERRILD AND L. HEGEDÜS
- 365 Detection of thyroid stimulating (TSAB)- and thyrotropin stimulation blocking (TSBAB) antibodies with CHO cell lines expressing different TSH-receptor numbers: H. WALLASCHOFSKI AND R. PASCHKE
- 373 Octreotide-scintigraphy is a disease-activity parameter in Graves' ophthalmopathy: M.N. GERDING, F.M. VAN DER ZANT, E.A. VAN ROYEN, L. KOORNNEEF, E.P. KRENNING, W.M. WIERSINGA AND M.F. PRUMMEL
- 381 Inhibin forms in serum from postmenopausal women with ovarian cancers: D.M. ROBERTSON, N. CAHIR, H.G. BURGER, P. MAMERS AND N. GROOME
- 387 Oestrogen has no short-term effect on intestinal strontium absorption in healthy postmenopausal women: M. TEN BOLSCHEER, G.W. DE VALK-DE ROO, R. BARTO, W.J.F. VAN DER VUIGH AND J. COEN NETELENBOS
- 393 Do some men with acne vulgaris have raised levels of LH?: A. FARRELL, J. ALAGHBAND-ZADEH, G. CARTER, R.B. NEWSON AND J.J. CREAM

## Case report

- 399 Relapsing Whipple's disease presenting with hypopituitarism: M. BRÄNDLE, P. AMMANN, G.A. SPINAS, F. DUTLY, R.L. GALEAZZI, C. SCHMID AND M. ALTWEGG

## 405 Letters to the Editors

## 409 Book reviews

## 410 Notices

## Author's Declaration

## Volume 50, Number 4, April 1999

## Review

- 411 The effects of testosterone on osteoporosis in men: R.M. FRANCIS

## Commentary

- 415 The growth hormone IGF-I axis in dilated cardiomyopathy: R.C. JENKINS AND R.J.M. ROSS (see page 417)

# Original papers

- 417 Activity of GH/IGF-I axis in patients with dilated cardiomyopathy: F. BROGLIO, A. FUBINI, M. MORELLO, E. ARVAT, G. AIMARETTI, L. GIANOTTI, M.F. BOGHEN, R. DEGHENGI, L. MANGIARDI AND E. GHIGO (see commentary page 415)
- 431 Prevalence, predictors and patterns of postoperative polyuria and hyponatraemia in the immediate course after transphenoidal surgery for pituitary adenomas: J. HENSEN, A. HENIG, R. FAHLBUSCH, M. MEYER, M. BOEHNERT AND M. BUCHFELDER
- 441 Evaluation of free insulin-like growth factor-I measurement on the diagnosis and follow-up treatment of growth hormone-deficient adult patients: N.R.C. MUSOLINO, M.B. DA CUNHA NETO, R. MARINO, D. GIANNELLA-NETO AND M.D. BRONSTEIN
- 451 Discrepancy between serum leptin values and total body fat in response to the oral growth hormone secretagogue MK-677: J. SVENSSON, B. CARLSSON, L.M.S. CARLSSON, J.O. JANSSON AND B.Å. BENGTSSON
- 457 Endothelial dysfunction in hypopituitary adults with growth hormone deficiency: L.M. EVANS, J.S. DAVIES, J. GOODFELLOW, J.A.E. REES AND M.F. SCANLON
- 465 Evaluation of adrenal function in patients with hypothalamic and pituitary disorders: COMPARISON OF SERUM CORTISOL, URINARY FREE CORTISOL AND THE HUMAN-CORTICOTROPHIN RELEASING HORMONE TEST WITH THE INSULIN TOLERANCE TEST AND R.P.F. DULLAART, S.H. PASTERKAMP, J.A.M. BEENTJES AND W.J. SLUITER
- 473 Circadian variation of plasma cortisol in prepubertal children with normal stature, short stature and growth hormone deficiency: R.C. HERMIDA, L. GARCÍA, D.E. AYALA AND J.R. FERNÁNDEZ
- 481 Kallmann's syndrome: IS IT ALWAYS FOR LIFE? AND R. QUINTON, H.K. CHEOW, D.J. TYMMS, P.M.G. BOULOUX, F.C.W. WU AND H.S. JACOBS
- 487 Effect of acute high dose dobutamine administration on serum thyrotrophin (TSH): E. LEE, P. CHEN, H. RAO, J. LEE AND L.A. BURMEISTER
- 493 The HLA-DQ association with Graves' disease in Chinese children: G.W.K. WONG, S.H. CHENG AND J.S. DORMAN
- 497 Cardiac function at rest in hypothyroidism evaluated by equilibrium radionuclide angiography: E.T. TIELENS, M. PILLAY, C. STORM AND A. BERGHOUT
- 503 Prevalence and significance of thyroid autoantibodies in patients with chronic hepatitis C virus infection: A PROSPECTIVE CONTROLLED STUDY AND M.J. HUANG, S.L. TSAI, B.Y. HUANG, I.S. SHEEN, C.T. YEH AND Y.F. LIAW

- 511 Female sex hormone replacement therapy increases serum free 1,25-dihydroxyvitamin D<sub>3</sub>: A 1 YEAR PROSPECTIVE STUDY AND H.J.C. VAN HOOF, M.J. VAN DER MOOREN, L.M.J.W. SWINKELS, C.G.J. SWEEP, J.M.W.M. MERKUS AND T.J. BENRAAD
- 517 The natural history of the metabolic syndrome in young women with the polycystic ovary syndrome and the effect of long-term oestrogen-progestagen treatment: R. PASQUALI, A. GAMBINERI, B. ANCONETANI, V. VICENNATI, D. COLITTA, E. CARAMELLI, F. CASIMIRRI AND A.M. MORSELLI-LABATE
- 529 Prevalence of *Ras* mutations in thyroid neoplasia: C.T. ESAPA, S.J. JOHNSON, P. KENDALL-TAYLOR, T.W.J. LENNARD AND P.E. HARRIS

# Case report

- 537 An adult patient with severe hypercalcaemia and hypocalciuria due to a novel homozygous inactivating mutation of the calcium-sensing receptor: N. CHIKATSU, S. FUKUMOTO, M. SUZAWA, Y. TANAKA, Y. TAKEUCHI, S. TAKEDA, Y. TAMURA, T. MATSUMOTO AND T. FUJITA (see commentary page 691)

# 545 Letters to the Editors

# Author's Declaration

Volume 50, Number 5, May 1999

# Review

- 547 Can GHRH or GH secretagogues re-initiate pituitary GH pulsatility?: S. CHAPPEL

# Commentary

- 557 How many surgeons to operate on acromegalic patients: R.N. CLAYTON (see page 561)

# Original papers

- 561 Outcome of transphenoidal surgery for acromegaly and its relationship to surgical experience: S. AHMED, M. ELSHEIKH, I.M. STRATTON, R.C.L. PAGE, C.B.T. ADAMS AND J.A.H. WASS (see commentary page 557)
- 569 Insulin regulation of leptin synthesis and secretion in humans: THE MODEL OF MYOTONIC DYSTROPHY AND J.M. GÓMEZ, A. MOLINA, M. FERNÁNDEZ-CASTAÑER, R. CASAMITJANA, J.A. MARTÍNEZ-MATOS AND J. SOLER

- 577 A trial of growth hormone therapy in well-controlled hypophosphataemic rickets: F.J. CAMERON, E.B. SOCHETT, A. DANEMAN AND S.W. KOOH
- 583 Parathyroid hormone gene polymorphisms in primary hyperparathyroidism: M. KANZAWA, T. SUGIMOTO, T. KOBAYASHI, A. KOBAYASHI AND K. CHIHARA
- 589 Familial non-medullary thyroid carcinoma: PATHOLOGY REVIEW IN 27 AFFECTED CASES FROM 13 FRENCH FAMILIES AND F. LEPRAT, F. BONICHON, M. GUYOT, H. TROUETTE, M. TROJANI, V. VERGNOT, M. LONGY, G. BELLEANNÉE, A. DE MASCAREL AND P. ROGER
- 595 Relationships between dehydroepiandrosterone-sulphate and anthropometric, metabolic and hormonal variables in a large cohort of obese women: M. MACCARIO, E. MAZZA, J. RAMUNNI, S.E. OLEANDRI, P. SAVIO, S. GROTTOLE, R. ROSSETTO, M. PROCOPIO, C. GAUNA AND E. GHIGO
- 601 Circulating levels of human insulin-like growth factor binding protein-6 (IGFBP-6) in health and disease as determined by radioimmunoassay: J. VAN DOORN, A.M. RINGELING, S.S. SHMUELI, M.C. KUIPERS, A.C.S. HOKKEN-KOELEGA, S.C. VAN BUUL-OFFERS AND M. JANSEN
- 611 Relationship between serum and urinary insulin-like growth factor-I through childhood and adolescence: THEIR USE IN THE ASSESSMENT OF DISORDERED GROWTH AND C.M. HALL, M.S. GILL, P. FOSTER, L. PENNELLS, V. TILLMANN, J. JONES, D.A. PRICE AND P.E. CLAYTON
- 619 Acidic isoforms of chorionic gonadotropin in European and Samoan women are associated with hyperemesis gravidarum and may be thyrotrophic: V. JORDAN, S.K.G. GREBE, R.R. COOKE, H.C. FORD, P.D. LARSEN, P.R. STONE AND C.E. SALMOND
- 629 Long-term substitution therapy of hypogonadal men with transscrotal testosterone over 7–10 years: H.M. BEHRE, S. VON ECKARDSTEIN, S. KLIESCH AND E. NIESCHLAG
- 637 Expression of the androgen metabolizing enzyme UGT2B15 in adipose tissue and relative expression measurement using a competitive RT-PCR method: A. TCHERNOF, É. LÉVESQUE, M. BEAULIEU, P. COUTOURE, J.P. DESPRÉS, D.W. HUM AND A. BÉLANGER
- 643 Differentiated thyroid cancer: A RETROSPECTIVE ANALYSIS OF 832 CASES FROM GREECE AND I. TZAVARA, B. VLASSOPOULOU, C. ALEVIZAKI, G. KOUKOULIS, M. TZANELA, P. KOUMOSSI, F. SOTSIU AND N. THALASSINOS
- 655 Disturbances of menstruation in hypothyroidism: G.E. KRASSAS, N. PONTIKIDES, T. KALTSAS, P. PAPADOPOULOU, J. PAUNKOVIC, N. PAUNKOVIC AND L.H. DUNTAS
- 661 Adrenal and gonadal contributions to urinary excretion and plasma concentration of epitestosterone in

- men — effect of adrenal stimulation and implications for detection of testosterone abuse: A.T. KICMAN, S.B. COUTTS, D.A. COWAN, D.J. HANDELSMAN, C.J. HOWE, S. BURREING AND F.C.W. WU
- 669 Amniotic fluid levels of dimeric inhibins, pro- $\alpha$ C inhibin, activin A and follistatin in Down's syndrome: E.M. WALLACE, D. D'ANTONA, C. SHEARING, L.W. EVANS, P. THIRUNAVUKARASU, J.P. ASHBY, M. SHADE AND N.P. GROOME

### Case report

- 675 Cushing's syndrome secondary to ectopic ACTH secretion from metastatic breast carcinoma: S.J. WIGG, A.R. EHRLICH AND P.J. FULLER

### 679 Letters to the Editors

### 682 Notices

### Author's Declaration

Volume 50, Number 6, June 1999

### Review

- 683 Growth hormone and exercise: P.J. JENKINS

### Commentary

- 691 Casting new light on the clinical spectrum of neonatal severe hyperparathyroidism: S. PEARCE AND B. STEINMANN (see page 537)

### Original papers

- 695 Inhibin B levels in azoospermic subjects with cytologically characterized testicular pathology: C. FORESTA, A. BETTELLA, F. PETRAGLIA, M. PISTORELLO, S. LUISI AND M. ROSSATO
- 703 GH replacement in 1034 growth hormone deficient hypopituitary adults: DEMOGRAPHIC AND CLINICAL CHARACTERISTICS, DOSING AND SAFETY AND R. ABS, B.Å. BENGTSOON, E.H. HERNBERG-STÄHL, J.P. MONSON, J.P. TAUBER, P. WILTON AND C. WÜSTER
- 715 Correlation between urinary cortisol and 6-sulphatoxymelatonin rhythms in field studies of blind subjects: D.J. SKENE, S.W. LOCKLEY, K. JAMES AND J. ARENDT

- 721 Constitutional delay in growth and puberty (CDGP) is associated with hypoleptinaemia: M.S. GILL, C.M. HALL, V. TILLMANN AND P.E. CLAYTON
  - 727 Increased MEN1 mRNA expression in sporadic pituitary tumours: C.J. MCCABE, N.J.L. GITTOES, M.C. SHEPPARD AND J.A. FRANKLYN
  - 735 Reduced fetal growth and growth hormone secretion in adult life: D.E. FLANAGAN, V.M. MOORE, I.F. GODSLAND, R.A. COCKINGTON, J.S. ROBINSON AND D.I.W. PHILLIPS
  - 741 Hypothalamic derangement in traumatized patients : GROWTH HORMONE (GH) AND PROLACTIN RESPONSE TO THYROTROPHIN-RELEASING HORMONE AND GH-RELEASING HORMONE and L. DE MARINIS, A. MANCINI, D. VALLE, A. BIANCHI, R. GENTILELLA, I. LIBERALE, V. MIGNANI, M. PENNISI AND F. DELLA CORTE
  - 749 Dose titration and patient selection increases the efficacy of GH replacement in severely GH deficient adults: R.D. MURRAY, C.J. SKILLICORN, S.J. HOWELL, C.A. LISSETT, A. RAHIM AND S.M. SHALET
  - 759 The influence of hydrocortisone substitution on quality of life and parameters of bone metabolism in patients with secondary hypocortisolism: M. WICHES, W. SPRINGER, F. BIDLINGMAIER AND D. KLINGMÜLLER
  - 767 Correlation between cortisol and insulin-like growth factor-binding proteins (IGFBPs) under physiological conditions in children: C.E. MARTINELLI, M.E. YATEMAN, A.M. COTTERILL, A.C. MOREIRA AND C. CAMACHO-HÜBNER
  - 775 The impact of gender, puberty and body mass on reference values for urinary growth hormone (GH) excretion in normally growing non-obese and obese children: G. BONA, A. PETRI, A. RAPA, A. CONTI AND A. SARTORIO
  - 783 Determinants of longterm outcome of radioiodine therapy for sporadic nontoxic goitre: R. LE MOLI, M.F.T. WESCHE, M.M.C. TIEL-VAN BUUL AND W.M. WIERSINGA
  - 791 Reduced androgen levels in adult Turner syndrome: INFLUENCE OF FEMALE SEX STEROIDS AND GROWTH HORMONE STATUS and C.H. GRAVHOLT, B. SVENSTRUP, P. BENNETT AND J.S. CHRISTIANSEN
  - 801 Different immunohistochemical patterns of TGF- $\beta$ 1 expression in benign and malignant adrenocortical tumours: A. BOCCUZZI, M. TERZOLO, S. CAPPIA, P. DE GIULI, C. DE RISI, E. LEONARDO, S. BOVIO, M. BORRIERO, P. PACCOTTI AND A. ANGELI
- Case report**
- 809 Fetal pituitary negative feedback at early gestational age: Y. RAKOVER, E. WEINER, N. MOSH AND E. SHALEV
- Letters to the Editors**
- Book reviews**
- Referees**
- Author index**
- Subject index**
- Author's Declaration**



